

Journal of Interdisciplinary Science Topics

The Potential for Silicon-Based Life on Io

Caitlin Warren FRAS

Natural Sciences (Life and Physical Sciences), School of Biological Sciences, University of Leicester

04/04/2025

Abstract

What if Io, Jupiter's volcanic moon, could host life based on silicon rather than carbon? With intense volcanic activity and a sulphur-rich atmosphere, Io's conditions could support silicon-based biochemistry, challenging our understanding of life's potential. Further research and exploration are needed to determine if life beyond Earth could exist here.

Keywords: *Speculative evolution; Chemistry; Biology; Astrobiology; Space; Silicon-Based Life; Io*

Introduction

The search for life beyond Earth has traditionally focused on environments with carbon, as it is typically considered a key ingredient of life [1], yet extreme conditions elsewhere in the Solar System may also support alternative biochemistries. One of the most hostile worlds is Io, Jupiter's innermost Galilean moon, known for its intense volcanism, extreme temperatures and sulphur-rich atmosphere [2]. These conditions make carbon-based life unlikely, but they may be favourable for silicon-based biochemistry. Silicon (Si) is abundant on Io [3] and can form complex molecular structures [4]. This paper explores the potential for silicon-based life on Io, considering the moon's sulphur-rich environment, the unique properties of silicon and how life might arise and function under such extreme conditions.

Io's Harsh Environment

Io is the most volcanically active object in the Solar System [5], with eruptions that eject pyroclastic material up to 500 km into space [6]. This extreme volcanism is driven by tidal heating from Io's interactions with Jupiter and its neighbouring moons, generating immense internal friction and heat [7]. Io's thin atmosphere is comprised of many gases, primarily sulphur dioxide [8], and ions, such as sodium. [2]. Temperatures vary widely, from 220 K to 2800 K [9], and radiation from Jupiter's magnetosphere bombards its surface with electrons and heavy ions [2]. Despite these harsh conditions, Io's geologically dynamic environment offers a

unique setting for chemical processes that could support alternative biochemistries, such as silicon-based life.




Figure 1 – Image of Io showing two volcanic eruptions, captured by Galileo in 1997 [10].

Silicon Chemistry and its Prospects on Io

The concept of silicon-based life was first proposed by astrophysicist Julius Scheiner in 1891 [11] due to silicon's similarities to carbon. Both elements belong to Group 14, form sp^3 hybrid orbitals and have high melting and boiling points. Silicon also forms versatile bonds with heteroatoms and metals and can create penta- and hexa-coordinate compounds [12]. Whilst silicon forms silicates and silanes, analogous to hydrocarbons, silanes combust readily in oxygen, limiting their stability in oxygen-rich environments [13]. In contrast, sulphuric acid may support more diverse organosilicon chemistry, enabling complex molecular structures [2], as silicon is more stable in sulphuric acid than in water. A notable example of a stable compound is the silicon analogue of benzene (Figure 2), demonstrating its ability to form stable cyclic structures.

However, there is no evidence of sulphuric acid on Io. Although atmospheric O^- and H^+ ions from Jupiter's

magnetosphere [14] could theoretically react with sulphur dioxide to form sulphuric acid via photochemical processes, this may be limited by Io's extreme radiation and thin atmosphere [8]. It is not currently known if this can occur on Io, but perhaps future missions such as the proposed Io Volcano Observer may provide more insight [15]. Nonetheless, silicon-based compounds may still form on Io's surface due to the scarcity of available oxygen, including reactive forms such as radicals and water. The abundance of sulphur (S) [8] means that Si-S bonds may form, as well as others, including Si-Na.




Figure 2 – Resonance structure of silicon-benzene analogue, which adopts a chair conformation in order to reduce steric strain and increase stability [4].

An important consideration of these bonds is their bond energies. While Si-Si bonds are weaker than their C-C counterparts, Si-O bonds are stronger than C-O bonds [4,16]. Sulphur, the most abundant element on Io [2], forms Si-S bonds with silicon, which have a bond energy of approximately 619 kJ/mol, compared to the bond energy of C-S bonds at around 699 kJ/mol [16]. Although slightly weaker, Si-S bonds are still strong enough to support the formation of stable structures. Silicate rock is abundant on Io, and continuous volcanic activity recycles silicon compounds [14], providing opportunities for prebiotic chemistry. When considered alongside Io's sulphur-rich environment, this raises the possibility that silicon-based life could evolve under extreme conditions.

Io's Volcanoes as an Energy Source

Life on Io may depend on volcanic activity to provide abundant energy sources. Intense volcanic eruptions release significant amounts of sulphur dioxide into the atmosphere, which is oxidised to sulphate [17]. These volcanic activity-driven redox reactions, including sulphur oxidation, could facilitate energy metabolism and play a central role in the formation of complex molecules essential for life [18]. Silicon's ability to form diverse bonds, including with metals and sulphur, and its capacity to shift between different coordination states (from IV to V and VI) could facilitate electron transfer in redox reactions,

similar to the role carbon plays in Earth's biological systems [19]. This would enable the formation of various compounds, which could serve as precursors to more complex molecular machinery, potentially powering the development of silicon-based biochemistry on Io [18].

Potential Adaptations of Silicon-Based Lifeforms

Silicon-based life on Io would need to withstand extreme heat, sulphur-rich conditions and intense radiation. Its structure may rely on heat-resistant silicates and other polymers, forming stable, cell-like frameworks [4]. These compounds could provide stability to endure Io's volatile surface. To cope with volcanic activity, organisms could have molecular adaptations against high-energy impacts [2], as well as the ability to thrive in anoxic environments, possibly utilising sulphur compounds for energy, therefore not requiring oxygen.

Metabolically, these organisms could utilise sulphur oxidation or reduction for energy, as previously discussed, similar to Earth's thermophiles such as *Pyrolobus*, which thrive at temperatures above 100°C [20]. Silicon-based catalysts could facilitate these reactions [18], enabling survival near lava flows or in geothermal pockets. Reproduction could involve silicon-based polymers as genetic carriers, acting as stable analogues to RNA or DNA [4]. These molecules would require error-correction mechanisms to withstand heat and radiation and prevent alterations equivalent to DNA mutations. Ecologically, sulphur-driven ecosystems could support primary producers and consumers, with volcanic activity constantly recycling silicon and sulphur [2,14]. Silicon-based life on Io would differ fundamentally from Earth's, uniquely adapted to thrive in one of the Solar System's most extreme environments.

Conclusion

Io's unique environment with extreme volcanic activity, abundant sulphur and silicon-rich chemistry faces multiple challenges for the formation of life. The harsh conditions make carbon-based life unlikely, but they may create conditions in which silicon-based biochemistry could occur. Volcanic eruptions could drive energy metabolism through redox reactions, while silicon's ability to form diverse bonds could enable the formation of complex molecular structures. Despite its challenges, the potential for silicon-based life offers a fascinating possibility for alternative biochemistry.

References

- [1] McKay, C.P. (2014) *Requirements and limits for life in the context of exoplanets*, Proceedings of the National Academy of Sciences, 111(35), pp. 12628–12633. DOI: 10.1073/pnas.1304212111
- [2] Lopes, R.M.C., De Kleer, K. & Tuttle Keane, J. (eds) (2023) *Io: A New View of Jupiter's Moon*. Cham: Springer International Publishing (Astrophysics and Space Science Library). DOI: 10.1007/978-3-031-25670-7
- [3] Schaefer, L. & Fegleyjr, B. (2005) *Silicon tetrafluoride on Io*, Icarus, 179(1), pp. 252–258. DOI: 10.1016/j.icarus.2005.05.020
- [4] Petkowski, J.J., Bains, W. & Seager, S. (2020) *On the Potential of Silicon as a Building Block for Life*, Life, 10(6), pp. 84. DOI: 10.3390/life10060084
- [5] Williams, D.A., Keszthelyi, L.P., Crown, D.A., Yff, J.A., Jaeger, W.L. Schenk, P.M., Geissler, P.E. & Becker, T.L. (2011) *Volcanism on Io: New insights from global geologic mapping*, Icarus, 214(1), pp. 91–112. DOI: 10.1016/j.icarus.2011.05.007
- [6] Jessup, K.L. & Spencer, J.R. (2012) *Characterizing Io's Pele, Tvashtar and Pillan plumes: Lessons learned from Hubble*, Icarus, 218(1), pp. 378–405. DOI: 10.1016/j.icarus.2011.11.013
- [7] De Kleer, K., Hughes, E.C., Nimmo, F., Eiler, J., Hofmann, A.E., Luszcz-Cook, S. & Mandt, K. (2024) *Isotopic evidence of long-lived volcanism on Io*, Science, 384(6696), pp. 682–687. DOI: 10.1126/science.adj0625
- [8] Davies, A.G. & Vorburger, A.H. (2022) *Io's Volcanic Activity and Atmosphere*, Elements, 18(6), pp. 379–384. DOI: 10.2138/gselements.18.6.379
- [9] Wong, M.C. & Smyth, W.H. (2000) *Model Calculations for Io's Atmosphere at Eastern and Western Elongations*, Icarus, 146(1), pp. 60–74. DOI: 10.1006/icar.2000.6362
- [10] Bowman, A. (2008) *Io: The Prometheus Plume*. NASA. Available at: <https://www.nasa.gov/image-article/io-prometheus-plume/> [Accessed: 4 March 2025]
- [11] Peng, S. (2015) *Silicon-Based Life in the Solar System*, Silicon, 7(1), pp. 1–3. DOI: 10.1007/s12633-014-9254-7
- [12] Gobato, R., Heidari, A., Mitra, A. & Valverde, L.F. (2022) *The possibility of silicon-based life*, Bulletin of Pure & Applied Sciences- Chemistry, 41c(1), pp. 52–58. DOI: 10.5958/2320-320X.2022.00007.3
- [13] Rampelotto, H.P. (2010) *The Search for Life on Other Planets: Sulfur-Based, Silicon-Based, Ammonia-Based Life*, Journal of Cosmology, 5, pp. 818–827. Available at: <https://ui.adsabs.harvard.edu/abs/2010JCos....5..818R> [Accessed: 22 January 2025]
- [14] Lodders, K. & Fegley, B. (2024) *Sulfur in the Giant Planets, their Moons, and Extrasolar Gas Giant Planets*. Preprint of chapter for "The Role of Sulfur in Planetary Processes: from Atmospheres to Cores", D. Harlov and G. Pokrovsky (Eds.), Springer Geochemistry. arXiv. DOI: 10.48550/ARXIV.2410.11138

- [15] Hautaluoma, G. & Handal, J. (2020) *NASA Selects Four Possible Missions to Study the Secrets of the Solar System*. Available at: <https://www.nasa.gov/news-release/nasa-selects-four-possible-missions-to-study-the-secrets-of-the-solar-system/> [Accessed: 17 March 2025]
- [16] Zakarian Group (2004) *Table 4.11 Bond Dissociation Energies*, in Properties of atoms, radicals and bonds. University of California Santa Barbara. Available at: <https://labs.chem.ucsb.edu/zakarian/armen/11---bonddissociationenergy.pdf> [Accessed: 14 March 2025]
- [17] Bao, H., Yu, S. & Tong, D.Q. (2010) *Massive volcanic SO₂ oxidation and sulphate aerosol deposition in Cenozoic North America*, *Nature*, 465(7300), pp. 909–912. DOI: 10.1038/nature09100
- [18] Cammack, R. (1992) *Iron-Sulfur Clusters in Enzymes: Themes and Variations*, in *Advances in Inorganic Chemistry*. Elsevier, pp. 281–322. DOI: 10.1016/S0898-8838(08)60066-5
- [19] Grabowsky, S., Hesse, M.F., Paulmann, C. Luger, P. & Beckmann, J. (2009) *How to Make the Ionic Si–O Bond More Covalent and the Si–O–Si Linkage a Better Acceptor for Hydrogen Bonding*, *Inorganic Chemistry*, 48(10), pp. 4384–4393. DOI: 10.1021/ic900074r
- [20] Stetter, K.O. (2006) *Hyperthermophiles in the history of life*, *Philosophical Transactions of the Royal Society B: Biological Sciences*, 361(1474), pp. 1837–1843. DOI: 10.1098/rstb.2006.1907